Flut



Materials//

Flut/ lacquered fiber glass OP// black, white, red



Designed to elevate the scenic waterways, Flut projects itself through the beauty and peculiarity of its lines. With inspiration from unsophisticated and stunning water lilies, this model finds in inside / outside pools and ponds its ideal habitat.

Dimensions// 829 h x Ø404 mm Weight// 5,3 kg Accessories// Kit Placement/ Acrylic Support Protection// temperature resistant round glass Packing Dimensions// 950 h x 530 w x 530 d mm 710 h x 1200 w x 670 d mm / Flut and Acrylic Support

Total Weight// 24,7 kg

28,19 kg/ Flut and Kit Support 25,25 kg/ Flut and Kit Placement 55 kg/ Flut and Acrylic Support

Burner 4// 2 litres (bioethanol gel) Power// 2,70 kW Burning time// Position min. 2 litres/ 7h Position max. 2 litres/ 4h

Fireplace with mechanical burner in accordance with German Norm DIN 4734

glamme tire

GlammFire

Recuperadores Pachinha Lda. Zona Industrial da Lagoa, Lote G1 4950-850 CORTES - MONÇÃO PORTUGAL


Tel(+351) 251 654 800 Fax(+351) 251 654 801 info@glammfire.com www.glammfire.com

Flut


ACCESSORY II: Swimming pools system

Install the burner in the floating fireplace (Fig.2)


Then using this type of node to connect the two rear hubs (Fig.3) $% \left(Fig.3\right) =0$



System for setting in grass (Fig.4)



System for setting in rough ground (Fig.5)



Button to regulate the power

Unroll the two rear hub and then fix in the both sides of the pool in the axis chosen (Roll/Unroll the Button power.)

Then fixing the systems on floor (according the most suitable material);

- In the grass you must stick;


- In ground like woods or concrete you must use the screws provided; Put the fireplace in the pool and rewind the rear hubs to immobilize the fireplace in the middle of the pool. This adjustment also is used to fill the fireplace.

GlammFire

Recuperadores Pachinha Lda. Zona Industrial da Lagoa, Lote G1 4950-850 CORTES - MONÇÃO PORTUGAL


Tel(+351) 251 654 800 Fax(+351) 251 654 801 info@glammfire.com www.glammfire.com

glamm[®] fire




Flut

(Example of positioning in the pool)



ACCESSORY III: Acrylic Support




GlammFire


Recuperadores Pachinha Lda. Zona Industrial da Lagoa, Lote G1 4950-850 CORTES - MONÇÃO PORTUGAL


Tel(+351) 251 654 800 Fax(+351) 251 654 801 info@glammfire.com www.glammfire.com

glamm[®] fire

Flut







GlammFire

Recuperadores Pachinha Lda. Zona Industrial da Lagoa, Lote G1 4950-850 CORTES - MONÇÃO PORTUGAL

Tel(+351) 251 654 800 Fax(+351) 251 654 801 info@glammfire.com www.glammfire.com

glamm[®]

PT02709-B