Crea7ion=Plus



Evolving the perfection of fire.

Technical Data Sheet

LOFT EVOPLUS

Loft EVOPlus



Designed to emphasize the essence of fire, Loft EVOPlus combines perfectly energy, strength and beauty.

strength and beauty.
The solid construction and exclusive design of its structure draw attention and invite to an incomparable experience.

Create a cosy atmosphere in your living room.

glamm.

×

GlammFire

Loft EVOPlus



Fireplace

Materials// Steel or corten steel

Black high temperature resistente glass

Finishings// Lacquered steel

Varnished corten steel

Rusted corten steel - optional

Dimensions// 2500 w x 428 d x 613 h mm

Weight// 155 kg

Recommended minimum area// 29 sqm

Accessories// Hight temperature resistente glass – included

Combustion zone

Burner// Crea7ionEVOPlus Fire Line 800

Materials// Black ceramic-coated brushed stainless steel

Finishings// Brushed stainless steel

Black titanium-coated brushed stainless steel

Polished stainless steel – optional

Black titanium-coated polished stainless steel - optional

White lacquered stainless steel – optional

Fuel// Bioethanol

Ignition mode// Remote control | display

Tank// 5 liters

Power// 4,5 kW

Autonomy// 5-6 hours







GlammFire

Loft EVOPlus

Why choosing Crea7ionEVOPlus:

Fire line// Linear and continuous fire line;

Combustion area// Crea7ionEVOPlus Fire Line 800;

Safety// Equipped with multiple safety sensors;

Display// Provides a better user experience;

Language// Language selection;

Remote control// Practical and functional;

Battery// Does not require electrical installation;

Tank// Capacities: 3L, 5L and 10L;

Materials// High-quality materials (Titanium and Stainless Steel). High durability;

Installation// Even more compact dimensions.

Crea7ionEVOPlus Security:

Levelling sensor// The system turns off in case of unevenness or falling;

Leakage sensor// The system turns off if there is some kind of leak or fuel/liquid spill;

Vibration sensor// The system turns off in case of accidental shock;

Tank door locking system// The tank door locks while the system is running for user safety;

Smothering the combustion fire line// The system turns off immediately if it is smothered by something;

Spillage on the combustion fire line// The system turns off if it detects an increase of liquids in the combustion line;

Overheating// The system turns off if it detects an overheating that can arise from poor ventilation.





×

GlammFire

Loft EVO

Finishings and combinations:



Lacquered steel



Varnished corten steel / lacquered steel



Rusted corten steel / acier laqué







GlammFire

Loft EVO

Installation

Flammable materials

- Do not place flammable materials near the fireplace, within 1m;
- Racks or shelves should be distant 1m from the combustion fire line.

Materials: stone/metal/ceramics

A – 100 mm;

B - 100 mm;


C - 500 mm;

Other non-flammable materials

A - 200 mm;

B - 250 mm;

C - 600 mm;








×

GlammFire

Loft EVOPlus

Dimensions



Measures in mm



