

GlaammFire

Electric Vintage



LCD Fire Technology

The innovative new LCD display allows you to experience the audiovisual reproduction, while enjoying, with Comfort and pleasure, those more pleasant environments.

Get the perfect harmony between the optical flame and sound effect by remote control technology.

- Simply and easy installation;
- LCD display—single or double screen;
- Optical flame effect—audiovisual reproduction;
- Built-in speakers;
- Remote control with volume control—sound effect;

Materials// newspaper sheet covered MDF

LCD display// double screen

Dimensions// 1600 a x 951 l x 420 p mm

Weight// 100 kg

Voltage// 220/240 V/ 50 Hz

Options

Finishings// lacquered MDF

*Remote control included

Electric cable// Schuko CEE

GlaammFire

Recuperadores Pachinha Lda.
Zona Industrial da Lagoa, Lote G1
4950-850 CORTES - MONÇÃO
PORTUGAL


Tel(+351) 251 654 800
Fax(+351) 251 654 801
info@glaammfire.com
www.glaammfire.com

glaamm[®]
fire


GlaamFire

Vintage

Componentes



Material Fornecido



GlaamFire

Recuperadores Pachinha Lda.
Zona Industrial da Lagoa, Lote G1
4950-850 CORTES - MONÇÃO
PORTUGAL

Tel(+351) 251 654 800
Fax(+351) 251 654 801
info@glammfire.com
www.glammfire.com


glamm[®]
fire

GlammFire

Vintage

Install

Place the fireplace close to an electrical plug. Do not Turn On the fireplace while it is not at the right place to stand. Be aware the fireplace or the power cables are not damaged. This module was conceived to stand still, so it should be Turned Off when moving around.



GlammFire

Recuperadores Pachinha Lda.
Zona Industrial da Lagoa, Lote G1
4950-850 CORTES – MONÇÃO
PORTUGAL

Tel(+351) 251 654 800
Fax(+351) 251 654 801
info@glammfire.com
www.glammfire.com

glamm[®]
fire

Vintage

Operational Instructions


To Start/Turn On: Use the button O/I (image A), clicking on the position I. The device might be started then.

To turn Off: Use the button O/I (image A), clicking on the the position O. Turn off the device in case it is not supposed to be working in a long period of time, to avoid energy waste. The Standby button (⏻) is placed beside the button O/I. (image A)

Note: You may notice the screen will turn black for approximately 5 seconds, each 30 minutes. This is a normal performance, and not a clause of concern.

Remote Control

To operate the remote control use the button O/I , clicking on the position I. A red light will inform you that the device is on the Standby position. Turn On the device using the remote control in the direction of the red light. The sound volume can be adjusted using the buttons (+) and (-). To Introduce or to change the batteries AAA of the remote control, see image B.



GlamFire

Recuperadores Pachinha Lda.
Zona Industrial da Lagoa, Lote G1
4950-850 CORTES – MONÇÃO
PORTUGAL


Tel(+351) 251 654 800
Fax(+351) 251 654 801
info@glammfire.com
www.glammfire.com

glamm[®]
fire

GlaammFire

Vintage

General Dimensions



GlaammFire

Recuperadores Pachinha Lda.
Zona Industrial da Lagoa, Lote G1
4950-850 CORTES - MONÇÃO
PORTUGAL

Tel(+351) 251 654 800
Fax(+351) 251 654 801
info@glammfire.com
www.glammfire.com

glamm[®]
fire

PT06125-A



Management
System
ISO 9001:2008
ISO 14001:2004

www.tuv.com
ID 9105063633

